


# FortiGate 3300E Series

FG-3300E and FG-3301E



## Highlights

**Gartner Magic Quadrant Leader** for both Network Firewalls and SD-WAN.

**Security-Driven Networking** FortiOS delivers converged networking and security.

**Unparalleled Performance** with Fortinet's patented / SPU / vSPU processors.

**Enterprise Security** with consolidated AI / ML-powered FortiGuard Services.

**Hyperscale Security** to secure any edge at any scale.

## High performance with flexibility

The FortiGate 3300E Series enables organizations to build security-driven networks that can weave security deep into their datacenter and across their hybrid IT architecture to protect any edge at any scale.

Powered by a rich set of AI/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 3300E Series delivers coordinated, automated, end-to-end threat protection across all use cases.

The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 3300E automatically controls, verifies, and facilitates user access to applications delivering consistent convergence with a seamless user experience.

IPS	NGFW	Threat Protection	Interfaces
27 Gbps	23 Gbps	17 Gbps	Multiple GE RJ45, 25 GE SFP28 / 10 GE SFP+ / GE SFP and 40 GE QSFP+ slots





## FortiGuard Services

### FortiGuard AI-Powered Security

FortiGuard's rich suite of security services counter threats in real time using AI-powered, coordinated protection designed by FortiGuard Labs security threat researchers, engineers, and forensic specialists.

### Web Security

Advanced cloud-delivered URL, DNS (Domain Name System), and Video Filtering providing complete protection for phishing and other web born attacks while meeting compliance.

Additionally, its dynamic inline CASB (Cloud Access Security Broker) service is focused on securing business SaaS data, while inline ZTNA traffic inspection and ZTNA posture check provide per-sessions access control to applications. It also integrates with the FortiClient Fabric Agent to extend protection to remote and mobile users.

### Content Security

Advanced content security technologies enable the detection and prevention of known and unknown threats and file-based attack tactics in real-time. With capabilities like CPRL (Compact Pattern Recognition Language), AV, inline Sandbox, and lateral movement protection make it a complete solution to address ransomware, malware, and credential-based attacks.

### Device Security

Advanced security technologies are optimized to monitor and protect IT, IIoT, and OT (Operational Technology) devices against vulnerability and device-based attack tactics. Its validated near-real-time IPS intelligence detects, and blocks known and zero-day threats, provides deep visibility and control into ICS/OT/SCADA protocols, and provides automated discovery, segmentation, and pattern identification-based policies.

### Advanced Tools for SOC/NOC

Advanced NAC and SOC management tools attached to your NGFW provide simplified and faster time-to-activation.

### SOC-as-a-Service


Includes tier-one hunting and automation, log location, 24x7 SOC analyst experts, managed firewall and endpoint functions, and alert triage.

### Fabric Rating Security Best Practices

Includes supply chain virtual patching, up-to-date risk and vulnerability data to deliver quicker business decisions, and remediation for data breach situations.



## Secure Any Edge at Any Scale



### Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

### ASIC Advantage



#### Network Processor 7 NP7

Network Processors operate inline to deliver unmatched performance and scalability for critical network functions. Fortinet's breakthrough SPU NP7 network processor works in line with FortiOS functions to deliver:


- Hyperscale firewall, accelerated session setup, and ultra-low latency
- Industry-leading performance for VPN, VXLAN termination, hardware logging, and elephant flows



#### Content Processor 9 CP9

Content Processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing



### FortiCare Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare Services help thousands of organizations get the most from our Fortinet Security Fabric solution. Our lifecycle portfolio offers Design, Deploy, Operate, Optimize, and Evolve services. Operate services offer device-level FortiCare Elite service with enhanced SLAs to meet our customer's operational and availability needs. In addition, our customized account-level services provide rapid incident resolution and offer proactive care to maximize the security and performance of Fortinet deployments.



## Use Cases



### Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of AI-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
  - Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
  - Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection
- 



### Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
  - Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
  - Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks
- 



### Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
  - Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
  - Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing
-



### Mobile Security for 4G, 5G, and IoT


- SPU-accelerated, high performance CGNAT and IPv6 migration options, including: NAT44, NAT444, NAT64/ DNS64, NAT46 for 4G Gi/sGi, and 5G N6 connectivity and security
- RAN Access Security with highly scalable and highest-performing IPsec aggregation and control Security Gateway (SecGW)
- User plane security enabled by full threat protection and visibility into GTP-U inspection

### Datacenter Deployment (NGFW, IPS, Segmentation)



## Hardware


### FortiGate 3300E Series



### Interfaces

1. 1 x USB Management Port
2. 1 x Console Port
3. 2 x GE RJ45 MGMT Ports
4. 12 x GE RJ45 Ports
5. 4 × 10 GE RJ45 Ports
6. 14 × 25 GE SFP28 / 10 GE SFP+ / GE SFP Slots
7. 2 × 25 GE SFP28 / 10 GE SFP+ / GE SFP HA Slots
8. 4 × 40 GE QSFP+ Slots

### Hardware Features



## Specifications

	FG-3300E	FG-3301E
<b>Interfaces and Modules</b>		
40 GE QSFP+ Slots		4
25 GE SFP28 / 10 GE SFP+ / GE SFP HA Slots		2
25 GE SFP28 / 10 GE SFP+ / GE SFP Slots		14
10 GE RJ45 Ports		4
GE RJ45 Ports		12
GE RJ45 Management/HA Ports		2
USB Ports (Client / Server)		1 / 1
Console Port		1
Internal Storage	–	2 × 1 TB SSD
Included Transceivers		2x SFP+ (SR 10 GE)
<b>System Performance — Enterprise Traffic Mix</b>		
IPS Throughput <sup>2</sup>		27 Gbps
NGFW Throughput <sup>2,4</sup>		23 Gbps
Threat Protection Throughput <sup>2,5</sup>		17 Gbps
<b>System Performance and Capacity</b>		
Firewall Throughput (1518 / 512 / 64 byte, UDP)		160 / 158 / 100 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)		160 / 158 / 100 Gbps
Firewall Latency (64 byte, UDP)		3.17 μs
Firewall Throughput (Packet per Second)		150 Mpps
Concurrent Sessions (TCP)		50 Million
New Sessions/Second (TCP)		700 000
Firewall Policies		200 000
IPsec VPN Throughput (512 byte) <sup>1</sup>		98 Gbps
Gateway-to-Gateway IPsec VPN Tunnels		40 000
Client-to-Gateway IPsec VPN Tunnels		200 000
SSL-VPN Throughput		10 Gbps
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)		30 000
SSL Inspection Throughput (IPS, avg. HTTPS) <sup>3</sup>		21 Gbps
SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup>		11 000
SSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup>		4 Million
Application Control Throughput (HTTP 64K) <sup>2</sup>		70 Gbps
CAPWAP Throughput (HTTP 64K)		55 Gbps
Virtual Domains (Default / Maximum)		10 / 500
Maximum Number of FortiSwitches Supported		300
Maximum Number of FortiAPs (Total / Tunnel Mode)		4096 / 2048
Maximum Number of FortiTokens		20 000
High Availability Configurations		Active-Active, Active-Passive, Clustering

	FG-3300E	FG-3301E
<b>Dimensions and Power</b>		
Height x Width x Length (inches)	3.5 × 17.44 × 21.89	
Height x Width x Length (mm)	88.9 × 443 × 556	
Weight	42.9 lbs (19.5 kg)	44.3 lbs (20.1 kg)
Form Factor (supports EIA/non-EIA standards)	Rack Mount, 2 RU	
AC Power Supply	100–240V AC, 60–50 Hz	
Power Consumption (Average / Maximum)	492 W / 610 W	496 W / 617 W
Maximum Current	12@100V, 9A@240V	
Heat Dissipation	2097 BTU/h	2105 BTU/h
Redundant Power Supplies (Hot Swappable)	Yes (Default dual AC PSU for 1+1 Redundancy)	
Power Supply Efficiency Rating	80Plus Compliant	
<b>Operating Environment and Certifications</b>		
Operating Temperature	32°–104°F (0°–40°C)	
Storage Temperature	-31°–158°F (-35°–70°C)	
Humidity	10%–90% non-condensing	
Noise Level	70 dBA	
Forced Airflow	Front to Back	
Operating Altitude	Up to 7400 ft (2250 m)	
Compliance	FCC Part 15 Class A, RCM, VCCI, CE, UL/ cUL, CB	
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; USGv6/IPv6	

Note: All performance values are “up to” and vary depending on system configuration.

<sup>1</sup> IPsec VPN performance test uses AES256-SHA256.

<sup>2</sup> IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

<sup>3</sup> SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

<sup>4</sup> NGFW performance is measured with Firewall, IPS and Application Control enabled.

<sup>5</sup> Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.





## Ordering Information

Product	SKU	Description
FortiGate 3300E	FG-3300E	4 × 40 GE QSFP+ slots, 16 × 25 GE SFP28 slots (including 14x ports, 2x HA ports), 14x GE RJ45 ports (including 12x ports, 2x management ports), 4 × 10GBase-T ports, SPU NP6 and CP9 hardware accelerated, and dual AC power supplies.
FortiGate 3301E	FG-3301E	4 × 40 GE QSFP+ slots, 16 × 25 GE SFP28 slots (including 14x ports, 2x HA ports), 14x GE RJ45 ports (including 12x ports, 2x management ports), 4 × 10GBase-T ports, SPU NP6 and CP9 hardware accelerated, and dual AC power supplies, with 2 × 1 TB SSD onboard storage.
<b>Optional Accessories</b>		
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3400/3401E, FG-3600/3601E, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC and FG-3950B/-DC.
AC Power Supply	SP-FG3800D-PS	AC power supply for FG-2200/2201E, FG-3300/3301E, FG-3400/3401E, FG-3600/3601E, FG-3700D, FG-3700D-NEBS, FG-3700DX, FG-3810D and FG-3815D.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Extended Range	FN-TRAN-SFP+ER	10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
25 GE SFP28 Transceiver Module, Short Range	FN-TRAN-SFP28-SR	25 GE SFP28 transceiver module, short range for all systems with SFP28 slots.
25 GE SFP28 Transceiver Module, Long Range	FG-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots
40 GE QSFP+ Transceiver Module, Short Range	FN-TRAN-QSFP+SR	40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Short Range BiDi	FG-TRAN-QSFP+SR-BIDI	40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Long Range	FN-TRAN-QSFP+LR	40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots.
40 GE QSFP+ to 4 × 10GE SFP+ Optical Breakout	FG-TRAN-QSFP+4XSFP	40GE QSFP+ Parallel Breakout Active Optical Cable with 1m length for all systems with QSFP+ slots.
QSFP+ to 4xSFP+ Optical breakout 5m	FG-TRAN-QSFP+4SFP-5	40G QSFP+ Parallel Breakout MPO to 4xLC connectors, 5m reach, transceivers not included.



## Subscriptions

Service Category	Service Offering	A-la-carte	Bundles		
			Enterprise Protection	Unified Threat Protection	Advanced Threat Protection
Security Services	FortiGuard IPS Service	•	•	•	•
	FortiGuard Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
	FortiGuard Web Security — URL and web content, Video and Secure DNS Filtering	•	•	•	
	FortiGuard Anti-Spam		•	•	
	FortiGuard IoT Detection Service	•	•		
	FortiGuard Industrial Security Service	•	•		
	FortiCloud AI-based Inline Sandbox Service <sup>1</sup>	•			
NOC Services	FortiGate Cloud (SMB Logging + Cloud Management)	•			
	FortiGuard Security Fabric Rating & Compliance Monitoring Service	•	•		
	FortiConverter Service	•	•		
	FortiGuard SD-WAN Underlay Bandwidth and Quality Monitoring Service	•			
SOC Services	FortiAnalyzer Cloud	•			
	FortiAnalyzer Cloud with SOCaaS	•			
Hardware and Software Support	FortiCare Essentials	•			
	FortiCare Premium	•	•	•	•
	FortiCare Elite	•			
Base Services	FortiGuard Application Control				
	FortiCloud ZTNA Inline CASB Service <sup>1</sup>				
	Internet Service (SaaS) DB Updates				
	GeolP DB Updates				included with FortiCare Subscription
	Device/OS Detection Signatures				
	Trusted Certificate DB Updates				
	DDNS (v4/v6) Service				

1. Available when running FortiOS 7.2



### FortiGuard Bundles

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

### FortiCare Elite

FortiCare Elite services offers enhanced service-level agreements (SLAs) and accelerated issue resolution. This advanced support offering provides access to a dedicated support team. Single-touch ticket handling by the expert technical team streamlines resolution. This option also provides Extended End-of-Engineering-Support (EoE's) of 18 months for added flexibility and access to the new FortiCare Elite Portal. This intuitive portal provides a single unified view of device and security health.

### Fortinet CSR Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the [Fortinet EULA](#) and report any suspected violations of the EULA via the procedures outlined in the [Fortinet Whistleblower Policy](#).





**FORTINET**

[www.fortinet.com](http://www.fortinet.com)

Copyright © 2022 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

November 4, 2022

FG-3300E-DAT-R18-20221104